



บริษัท ยูนิมิต เอนจิเนียริง จำกัด (มหาชน)

UNIMIT ENGINEERING PUBLIC COMPANY LIMITED

ทะเบียนเลขที่ 0107548000323 <http://www.unimit.com>

เลขที่ PCM-Gen-23-019

วันที่ 21 กันยายน 2566

เรื่อง ประกาศขาย Raw Material ใน Stock

ด้วยบริษัท ยูนิมิต เอนจิเนียริง จำกัด(มหาชน) มีความประสงค์ที่จะขาย Raw Material บางส่วน ใน Stock ประจำปี 2566 ดังนี้

1. เหล็กแผ่น
2. หน้าแปลน
3. ท่อ
4. ข้อต่อ
5. ปะเก็น
6. อื่นๆ

ทั้งนี้ สามารถติดต่อสอบถามรายละเอียดเพิ่มเติมได้ที่

คุณญาณันธร ทองชัย โทรศัพท์ 038-485561-64 ต่อ 383 Email: yananthorn@unimit.com

คุณอภิวัฒน์ นิมิตรธรรมคุณ โทรศัพท์ 038-485561-64 ต่อ 385 Email : buyer02@unimit.com

ขอแสดงความนับถือ

(นายเจษฎา ปรัชญา)

ผู้ช่วยผู้อำนวยการฝ่ายจัดซื้อจัดจ้าง

เหล็กแผ่น

Item No.	Description	Q'ty		Grade
1	PL 254SMO 2tx1500x6000MM.	2	PC	Alloy
2	PL SA203-E+S5 12.7tx1524x6096MM.	0.59	PC	Alloy
3	PL SA203-E+S5 19tx1524x6096MM.	0.75	PC	Alloy
4	PL SA240 N08367/N08926 15tx2000x6000MM.	0.48	PC	Alloy
5	PL SA387-11 CL.2+S5 12tx1600x6100MM.	1	PC	Alloy
6	PL SB127 UNS N04400 8tx2300x8000MM.	1	PC	Alloy
7	PL 253 MA 1.2tx1000x2060MM.	7	PC	Stainless Steel
8	PL A240-316Ti SIZE 9tx1500x6160MM.	2	PC	Stainless Steel
9	PL AISI409L SIZE 1.5tx1219x2438MM.	13	PC	Stainless Steel
10	PL SA240-310S SIZE 15tx1524x3048MM.	1	PC	Stainless Steel
11	PL SA240-321 10tx1524x6096MM.	0.64	PC	Stainless Steel
12	PL SS347 12.7tx1483x2435MM.	1	PC	Stainless Steel
13	PL SA240-S32205 SIZE 40tx390x480MM.	4	PC	Stainless Steel (Duplex)

หน้าแปลน

Item No.	Description	Q'ty	Grade
1	BL.FLG.10"-150#RF ANSI B16.5 SA350LF2CL1	9 PC	Carbon (Low Temp)
2	BL.FLG.20"-150# RF ANSI B16.5 A182F316	3 PC	Stainless Steel
3	BL.FLG.30"-150# RF ASME B16.47 SERIES"B" SA105	5 PC	Carbon
4	BL.FLG.30"-300# RF ANSI B16.47 SERIES"B" SA105	1 PC	Carbon
5	BL.FLG.34"-150# RF ANSI B16.47 SERIES"A" SA105	1 PC	Carbon
6	FORGED A105 OD220 x ID146 x 174L	1 PC	Carbon
7	FORGED SA182F304 OD520 x ID298 x 41T	2 PC	Stainless Steel
8	FORGED SA182F304L OD540 x ID200 x 173T	1 PC	Stainless Steel
9	FORGED SA182F304L OD540 x ID200 x 62T	1 PC	Stainless Steel
10	FORGED SA350LF2CL.1 OD90xID38.16x380L	36 PC	Carbon (Low Temp)
11	FVC.FLG.4"-900# "HB" (NUT RELIEF 30^) BORE102x279L ANSI B16.5 SA105N	5 PC	Carbon
12	LWN.FLG.1-1/2"-300# RF(15.88T)x225L ANSI B16.5 SA182F9	4 PC	Alloy
13	LWN.FLG.2"-150# RF(13.6T)x226L ANSI B16.5 SA182F9	3 PC	Low Alloy
14	LWN.FLG.2"-150# RF(13.6T)x695L ANSI B16.5 SA182F304L	3 PC	Stainless Steel
15	SO.FLG.1-1/2"-150# ANSI B16.5 ALLOY C276	2 PC	Alloy
16	SO.FLG.16"-600# RF ANSI B16.5 SA105	1 PC	Carbon
17	SO.FLG.3"-150# RF ANSI B16.5 A182-F316	45 PC	Stainless Steel
18	SO.FLG.4"-2500# RF ANSI B16.5 SA105	8 PC	Carbon
19	WN.FLG.10"-600# S/XS RF ANSI B16.5 A105	4 PC	Carbon
20	WN.FLG.12"-150# S/10S RF ANSI B16.5 A182F316L	2 PC	Stainless Steel
21	WN.FLG.12"-300# S/80S RF ANSI B16.5 SA182F316L	1 PC	Stainless Steel
22	WN.FLG.16"-150# RF BORE394.4 ANSI B16.5 SA182F316L	1 PC	Stainless Steel
23	WN.FLG.16"-300# RF BORE378.4 ANSI B16.5 SA350LF2CL1	1 PC	Carbon (Low Temp)
24	WN.FLG.16"-300# RF BORE394.4 ANSI B16.5 SA182F316L	1 PC	Stainless Steel
25	WN.FLG.18"-300# RF BORE438.4 ANSI B16.5 SA105N	2 PC	Carbon
26	WN.FLG.24"-150# RF BORE593.6 ANSI B16.5 SA105	3 PC	Carbon
27	WN.FLG.24"-300# RF BORE569.6 ANSI B16.5 SA182F316	1 PC	Stainless Steel
28	WN.FLG.24"-300# S/XS RF ANSI B16.5 SA182-F304	1 PC	Stainless Steel
29	WN.FLG.30"-150# RF BORE722 ANSI B16.47 SERIES "B" SA105	2 PC	Carbon
30	WN.FLG.30"-300# RF BORE716 ANSI B16.47 SERIES "B" SA105	1 PC	Carbon
31	WN.FLG.36"-150# RF S/STD ASME B16.47 SERIES "B" A105	1 PC	Carbon
32	WN.FLG.4"-900# S/40S RF ANSI B16.5 SA182F316	2 PC	Stainless Steel
33	WN.FLG.50"-150# RF BORE1242 A182F316L	1 PC	Stainless Steel
34	WN.FLG.8"-150# S/40 RF ANSI B16.5 SA182F9	4 PC	Stainless Steel
35	WN.FLG.8"-300# S/40 RF ANSI B16.5 SA182F9	5 PC	Stainless Steel

Item No.	Description	Q'ty		Grade
1	PIPE 1-1/2" S/40S SA312TP321H SMLS.	18	ME	Stainless Steel
2	PIPE 2" S/10S A312TP304 SMLS.	60	ME	Stainless Steel
3	PIPE 2" S/10S A312TP321H SMLS.	18	ME	Stainless Steel
4	PIPE 2-1/2" S/80S A312TP316Ti SMLS.	6.11	ME	Stainless Steel
5	PIPE 2-1/2" S/XXS A312TP304L SMLS.	3.01	ME	Stainless Steel
6	PIPE 2-1/2" S/40S SA312TP316L SMLS.	42	ME	Stainless Steel
7	PIPE 3" S/XXS A333-6 SMLS.	11.3	ME	Carbon
8	PIPE 3" S/80S A312TP316Ti SMLS.	3.98	ME	Stainless Steel
9	PIPE 3" S/10S A312TP304 SMLS.	138	ME	Stainless Steel
10	PIPE 3" S/10S A312TP316L SEAM.	54	ME	Stainless Steel
11	PIPE 3" S/160S A312TP304L SMLS.	4.42	ME	Stainless Steel
12	PIPE 3" S/80S A312TP304 SMLS.	6	ME	Stainless Steel
13	PIPE 3" S/80S SA312TP321H SMLS.	6	ME	Stainless Steel
14	PIPE 3" SCH.40 SA335-P91 SMLS.	12	ME	Alloy
15	PIPE 4" S/80S A312TP304L SMLS.	4.2	ME	Stainless Steel
16	PIPE 4" S/120 SA312TP316L SMLS.	3.56	ME	Stainless Steel
17	PIPE 4" S/40S A312TP321H SMLS.	6	ME	Stainless Steel
18	PIPE 4" S/40S SA312TP316 SMLS.	6	ME	Stainless Steel
19	PIPE 4" S/XXS SA333-6 SMLS.	5.9	ME	Carbon
20	PIPE 4" SCH.40 SA335-P91 SMLS.	96	ME	Alloy
21	PIPE 4" SCH.80 SA335-P91 SMLS.	6	ME	Alloy
22	PIPE 4" SCH.80 SA335-P91 SMLS.	6	ME	Alloy
23	PIPE 4" SCH.XXS SA335-P11 SMLS.	5.1	ME	Alloy
24	PIPE 5" S/40S A312TP316 SMLS.	4.22	ME	Stainless Steel
25	PIPE 5" S/40S SA312TP304/L SMLS.	6	ME	Stainless Steel
26	PIPE 5" S/80S A312TP304 SMLS.	3.4	ME	Stainless Steel
27	PIPE 5" S/80S A312TP304L SMLS.	5	ME	Stainless Steel
28	PIPE 5" S/80S SA312TP304/L SMLS.	5.5	ME	Stainless Steel
29	PIPE 6" S/80 SA333-3 SMLS.	4.3	ME	Carbon
30	PIPE 6" S/40S SA312TP316L SMLS.	5.79	ME	Stainless Steel
31	PIPE 6" S/160 SA312TP316L SMLS.	4	ME	Stainless Steel
32	PIPE 6" S/40S A312TP316L SEAM.	11.9	ME	Stainless Steel
33	PIPE 6" S/40S SA312TP316 SMLS.	6	ME	Stainless Steel
34	PIPE 6" S/40S SA312TP316 SMLS.	6	ME	Stainless Steel
35	PIPE 6" S/40S SA312TP321H SMLS.	5.18	ME	Stainless Steel
36	PIPE 6" S/80 SA333-1/6 SMLS.	11.8	ME	Carbon
37	PIPE 6" S/80 SA333-1/6 SMLS.	3.8	ME	Carbon
38	PIPE 8" SCH.40 SA335-P9 SMLS.	23	ME	Alloy
39	PIPE 8" S/80 SA333-3 SMLS.	5.63	ME	Carbon
40	PIPE 8" S/120 SA106-B SMLS.	4.56	ME	Carbon
41	PIPE 8" S/120 SA333-6 SMLS.	4	ME	Carbon
42	PIPE 8" S/120 SA333-6 SMLS.	6	ME	Carbon
43	PIPE 8" S/160 SA333-6 SMLS.	6	ME	Carbon
44	PIPE 8" S/160 SA335-P22 SMLS.	3.41	ME	Alloy
45	PIPE 8" S/40S A312TP316L SEAM.	5.4	ME	Stainless Steel
46	PIPE 8" S/40S SA312TP304/L SEAM.	5.45	ME	Stainless Steel
47	PIPE 8" S/40S SA312TP321H SMLS.	6	ME	Stainless Steel
48	PIPE 8" S/40S SA312TP321H SMLS.	6	ME	Stainless Steel
49	PIPE 8" S/60 SA335-P9 SMLS.	4.75	ME	Alloy

ท่อ

Item No.	Description	Q'ty	Grade
50	PIPE 8" S/80S SA312TP304/L SMLS.	10.64 ME	Stainless Steel
51	PIPE 8" SCH.120 SA335-P11 SMLS.	4.4 ME	Alloy
52	PIPE 8" SCH.160 SA335-P11 SMLS.	4.5 ME	Alloy
53	PIPE 8" SCH.160 SA335-P11 SMLS.	4.1 ME	Alloy
54	PIPE 8" SCH.40 SA335-P9 SMLS.	18 ME	Alloy
55	PIPE 8" SCH.40 SA335-P9 SMLS.	6 ME	Alloy
56	PIPE 8" SCH.80 A333-3 SMLS.	5.8 ME	Carbon
57	PIPE 8" S/10S A312TP316L SEAM.	37.1 ME	Stainless Steel
58	PIPE 10" S/100 A333-6 SMLS.	11.45 ME	Carbon
59	PIPE 10" S/120 SA333-6 SMLS.	5 ME	Carbon
60	PIPE 10" SCH.XXS SA106-B SMLS.	3.5 ME	Carbon
61	PIPE 10" SCH.120 SA106-B SMLS.	5.54 ME	Carbon
62	PIPE 10" S/10S SA312TP304/L SMLS.	6 ME	Stainless Steel
63	PIPE 10" S/160 SA335-P22 SMLS.	3.62 ME	Alloy
64	PIPE 10" SCH.100 SA106-B SMLS.	8.74 ME	Carbon
65	PIPE 10" SCH.100 SA335-P11 SMLS.	4.52 ME	Alloy
66	PIPE 10" SCH.120 SA106-B SMLS.	4.8 ME	Carbon
67	PIPE 10" SCH.160 SA106-B SMLS.	4.72 ME	Carbon
68	PIPE 10" SCH.80 SA335-P11 SMLS.	2.69 ME	Alloy
69	PIPE 10" SCH.XS A106-B SMLS.	5.8 ME	Carbon
70	PIPE 10" SCH.XS SA335-P11 SMLS.	5.5 ME	Alloy
71	PIPE 10" STD/40 SA335-P22 SMLS.	4 ME	Alloy
72	PIPE 12" S/80 SA333-6 SMLS.	4.5 ME	Carbon
73	PIPE 12"x S/10S SA312TP304 SMLS.	3.04 ME	Stainless Steel
74	PIPE 12" S/10S SA312TP304/L SMLS.	4.4 ME	Stainless Steel
75	PIPE 12" S/120/XXS SA333-6 SMLS.	5.25 ME	Carbon
76	PIPE 12" S/160 SA335-P22 SMLS.	2.03 ME	Alloy
77	PIPE 12" S/40 SA333-6 SMLS.	6 ME	Carbon
78	PIPE 12" S/40S SA312TP316L SEAM.	3 ME	Stainless Steel
79	PIPE 12" S/40S SA312TP316L SEAM.	1.9 ME	Stainless Steel
80	PIPE 12" S/40S SA312TP316L SMLS.	2.25 ME	Stainless Steel
81	PIPE 12" S/40S SA312TP316L SMLS.	2.65 ME	Stainless Steel
82	PIPE 12" S/80 SA106-B SMLS.	10.08 ME	Carbon
83	PIPE 12" S/80 SA106-B SMLS.	5.53 ME	Carbon
84	PIPE 12" SCH.120/XXS SA106-B SMLS.	6 ME	Carbon
85	PIPE 12" SCH.120/XXS SA106-B SMLS.	3 ME	Carbon
86	PIPE 12" SCH.80 SA335-P11 SMLS.	4.88 ME	Alloy
87	PIPE 12" SCH.80S SA312TP316/L SMLS.	4.47 ME	Stainless Steel
88	PIPE 14" SCH.20 SA106-B SMLS.	4.5 ME	Carbon
89	PIPE 14" SCH.80 A106-B SMLS.	5 ME	Carbon
90	PIPE 14" SCH.80 SA335-P11 SMLS.	4.8 ME	Alloy
91	PIPE 14" SCH.XS SA106-B SMLS.	5.25 ME	Carbon
92	PIPE 16" S/10S A312TP316L SEAM.	140.4 ME	Stainless Steel
93	PIPE 16" S/10S A312TP316L SEAM.	151.2 ME	Stainless Steel
94	PIPE 16" SCH.60 SA106-B SMLS.	4.28 ME	Carbon
95	PIPE 16" SCH.STD SA335-P5 SMLS.	3.88 ME	Alloy
96	PIPE 26" SCH.STD SA106-B SMLS.	4.15 ME	Carbon
97	TUBE OD14XMMWT2X6000MM. A213/A269 TP316/316L SMLS	24 PC	Stainless Steel
98	TUBE OD19.05xMMWT2.11x6M.ASTM B111 C44300 SMLS.	12 ME	Other

ข้อต่อ

Item No.	Description	Q'ty	Grade
1	ANCHOR BOLT & 3HEAVY NUTS & 2SQ.WASHERS M36-P4x350L A307/A563/SS400 + HDG.	36 ST	Carbon
2	ANCHOR BOLT 5/16"x2-1/2"+NUT WELDED 3/8" MODEL:HL-202-N SUS310	848 ST	Stainless Steel
3	ANCHOR BOLT 5/16"x3-1/2"VH MODEL:HL-202-12 SUS310	1147 EA	Stainless Steel
4	ANCHOR STUD 3/8"x115MM.VHx 2"THREAD / HAND WELD MODEL:HL-310 SUS310	1016 EA	Stainless Steel
5	CAP 14" S/10 A403WP304 SMLS.	4 PC	Stainless Steel
6	CAP 16" S/10S A403WP304 SMLS.	6 PC	Stainless Steel
7	CON.REDUCER 1-1/2"x1/2" S/XXS SA420WPL6 SMLS.	13 PC	Carbon
8	CON.REDUCER 1-1/2"x1-1/4" S/XXS SA234WPB SMLS.	6 PC	Carbon
9	ELBOW 45o12" S/40S LR SA403WP304/L SMLS.	1 PC	Stainless Steel
10	ELBOW 90o10" S/160 LR SA234WPB SMLS.	2 PC	Carbon
11	ELBOW 90o10" S/40S LR A403WP304L SEAM.	1 PC	Stainless Steel
12	ELBOW 90o10" S/40S LR SA403WP316L SMLS.	1 PC	Stainless Steel
13	ELBOW 90o12" S/160 LR A234WPB SMLS.	1 PC	Carbon
14	ELBOW 90o12" S/40S LR SA403WP316L SMLS.	2 PC	Stainless Steel
15	ELBOW 90o16" S/STD LR SA403WP316L SEAM.	1 PC	Stainless Steel
16	ELBOW 90o18" S/80 LR A234WPB SMLS.	1 PC	Carbon
17	ELBOW 90o20" S/XS LR SA234WPB WITH 3 MM CLADDING SA403-WP316L SMLS.	1 PC	Clad
18	ELBOW 90o8" S/10S LR A403WP316L SMLS.	30 PC	Stainless Steel
19	ELBOW 90o8" S/40 SR SA234WP9 SMLS.	4 PC	Carbon
20	FULL COUPLING 3/4"-3000# A105	746 PC	Carbon
21	HALF COUPLING 2"-3000# NPT SA182F316L	17 PC	Stainless Steel
22	HEX BOLT & 2 NUTS M22-P2.5x70L SUS316L	17 ST	Stainless Steel
23	HEX BOLT & NUT & WASHER M20-P2.5x50L A307/A563/F436 + HDG.	140 ST	Carbon
24	HEX BOLT & NUT M20-P2.50x45L SS410	60 ST	Stainless Steel
25	HEX BOLT & NUT M22-P2.5x45L A325 WITH MECHANICAL GALVANIZED	931 ST	Carbon
26	HEX BOLT 5/8"-11UNCx2-1/2" SUS304	1172 PC	Stainless Steel
27	HEX BOLT+1NUT 1/2"-13UNCx45L SA193-B7/SA194-2H+PTFE	767 ST	Carbon
28	HEX BOLT+1NUT M20-P2.5x80L SA320-B8CL.2/SA194-8	68 ST	Carbon
29	HEX BOLT+NUT M10-P1.5x30L SA193-B8CL.2/SA194-8	100 ST	Carbon
30	HEX BOLT+NUT M10-P1.5x30L SA193-B8CL.2/SA194-8	30 ST	Carbon
31	HEX NUT 2" SS400	192 PC	Carbon
32	STUD BOLT 1-1/2"-8UNx235L (2NUTS) A325/A563	56 ST	Carbon
33	STUD BOLT 1-1/4"-8UNx175L (2NUTS) SA193-B8CL.2/SA194-8	92 ST	Carbon
34	STUD BOLT 1-1/8"-8UNx150L (2NUTS) SA193-B8M/SA194-8M	66 ST	Stainless Steel
35	STUD BOLT 1-3/4"-8UNx605L (2NUTS) SA193-B16/SA194-8C	28 ST	Carbon
36	STUD BOLT 1-7/8"-8UNx315L (2NUTS) SA193-B16/SA194-8C	30 ST	Carbon
37	STUD BOLT 2-1/2"-8UNx540L (2NUTS) SA193-B7/SA194-2H	20 ST	Carbon
38	STUD BOLT 3/4"-10UNCx185L (2NUTS) SA193-B7/SA194-2H+HDG.	885 ST	Carbon
39	STUD BOLT 3-1/2"-8UNx470L (2NUTS) SA193-B7/SA194-2H	32 ST	Carbon
40	STUD BOLT M33-P3.5x200L (2NUTS) SA193-B7/SA194-2H+ZINC	150 ST	Carbon
41	TEE 12" S/40S SA403WP304 SMLS.	1 PC	Stainless Steel
42	TEE 14" S/160 SA420WPL6 SMLS EQUAL	1 PC	Stainless Steel
43	TEE 8" S/80S SA403WP316L SMLS.	1 PC	Stainless Steel
44	TEE REDUCER 16"x14" S/STD SA234WPB SMLS.	2 PC	Carbon
45	TEE REDUCER 24"x12"S/STD A234WPB SMLS.	1 PC	Carbon
46	TEE REDUCER 24"x12"S/STD A234WPB SMLS.	1 PC	Carbon
47	TEE REDUCER 24"x12"S/STD A234WPB SMLS.	1 PC	Carbon
48	TEE REDUCER 24"x16"S/STD A234WPB SMLS.	1 PC	Carbon
49	TEE REDUCER 4"x3" S/40 SA234WP91 SMLS.	4 PC	Carbon

ปะเก็น

Item No.	Description	Q'ty		Grade
1	GASKET V#6540H SIZE 5tx24"-150# RF	3	PC	Other
2	GASKET T#1133 SIZE 3tx20"-150# RF	7	PC	Other
3	GASKET S/W W:ALLOY20,F:PTFE,OR:CS, IR:ALLOY20 SIZE 4.5tx24"-150# RF	2	PC	Other
4	GASKET KEMPCHEN A1/RS2K110 SIZE 2tx24"-150# RF	24	PC	Other

อื่นๆ

Item No.	Description	Q'ty		Grade
1	GASKET CERAMIC ROPE DIA.1/2"x100M./ROLL	6	RL	Other
2	GASKET CERAMIC ROPE DIA.12.5x70M./ROLL	18	RL	Other
3	GRINDING FIBER 7"x3t (STAINLESS)	1175	PC	Other
4	RB SS347 DIA.6.35x3650L	29	PC	Stainless Steel
5	SHAFT AISI 321 DIA 50x5,870L	2	PC	Stainless Steel